

IN THE CLAIMS:

Amendments to the Claims

Please amend claims 1, 2, 4, 8, 10, 11 and 15 and add the new claims as shown below.

Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A display apparatus comprising a film on a display plane, wherein said film has selective absorption and has:
a luminous transmittance equal to or less than 85%,
a luminous reflectance equal to or less than 2%, and
a flattened reflectance curve, of which all absolute values of differential values in a visible light region of 380 nm - 780 nm are equal to or less than 2.

2. (currently amended) A display apparatus as claimed in claim 1, wherein said film has:
said selective absorption with absorption peaks at approximately 450 nm, 570 nm, and 650 nm, and a resistance equal to or less than 10000 Ω/\square .

Claim 3 (canceled)

4. (currently amended) A display apparatus comprising:
a laminated film composed of at least three layers comprising a protective film, a conductive film, and an absorption film at a surface of a display plane;
wherein said laminated film is constituted so that said absorption film contains coloring matter and is arranged at a position closer to said display plane than said conductive film;

wherein said laminated film has a luminous transmittance equal to or less than 85%, a luminous reflectance equal to or less than 2%, a flattened reflectance curve, of which absolute values of differential values are equal to or less than 2, and a resistance equal to or less than 10000 Ω/\square .

5. (previously presented) A display apparatus as claimed in claim 4, wherein said conductive film is composed of at least one metal selected from the group consisting of Ag, Pd, Pt, Cu, Cr, and Au.

6. (previously presented) A display apparatus as claimed in claim 4, wherein said coloring matter contained in said absorption film is composed of at least one of dyes and pigments selected from the group consisting of dyes and pigments having an absorption at 450 nm, dyes and pigments having an absorption at 570 nm, and dyes and pigments having an absorption at 650 nm.

Claim 7 (canceled)

8. (currently amended) A display apparatus comprising:
a laminated film composed of at least three layers comprising a protective film, a conductive film, and an absorption film at a surface of a display plane,
wherein said laminated film is constituted so that a first layer in the order from an outer surface of said laminated film is said protective layer composed mainly of SiO_2 , a second layer is said conductive layer composed of at least one metal selected from the group consisting of Ag, Pd, Pt, Cu, Cr, and AU, and a third layer is said absorption film containing coloring matter; and

wherein said laminated film has a luminous transmittance equal to or less than 85%, a luminous reflectance equal to or less than 2%, and a resistance equal to or less than 10000 Ω/\square .

9. (previously presented) A display apparatus comprising:
a laminated film composed of at least three layers comprising a protective film, a conductive film, and an absorption film at a surface of a display plane,
wherein said laminated film is constituted so that a first layer in the order from an outer surface of said laminated film is said protective layer composed mainly of SiO_2 , a second layer is said conductive layer composed of at least one metal selected from the group consisting of Ag, Pd, Pt, Cu, Cr, and AU, and a third layer is said absorption film containing coloring matter;

wherein said laminated film has an absorption equal to or less than 75% at approximately 450 nm, an absorption equal to or less than 65% at approximately 570 nm, an absorption equal to or less than 75% at approximately 650 nm, a luminous reflectance equal to or less than 1%, and a resistance equal to or less than 10000 Ω/\square .

10. (currently amended) A Braun tube comprising:
a laminated film composed of at least three layers comprising a protective film, a conductive film, and an absorption film at a surface of a display plane, wherein said laminated film is constituted so that said absorption film contains coloring matter and is arranged at a position closer to said display plane than said conductive film;
and

wherein said laminated film has a luminous transmittance equal to or less than 85%, a luminous reflectance equal to or less than 2%, a flattened reflectance curve,

of which absolute values of differential values are equal to or less than 2, and a resistance equal to or less than 10000 Ω/\square .

11. (currently amended) A Braun tube comprising a film on a display plane, wherein said film has selective absorption and has:

a luminous transmittance equal to or less than 85%,
a luminous reflectance equal to or less than 2 %, and
a flattened reflectance curve, of which all absolute values of differential values in a visible light region of 380 nm - 780 nm are equal to or less than 2.

12. (previously presented) A display apparatus as claimed in any one of claims from 1, 2, 4-6, 8 and 9, wherein
said display apparatus is a plasma display device.

13. (previously presented) A display apparatus as claimed in claim 1, wherein said film is provided on an outer surface of said display plane.

14. (previously presented) A display apparatus as claimed in claim 4, wherein said laminated film is provided on an outer surface of said display plane.

15. (currently amended) A display apparatus as claimed in claim 4, wherein all of said absolute values of differential values of said flattened reflectance curve in a visible light region of 380 nm - 780 nm are equal to or less than 2.

16. (previously presented) A display apparatus as claimed in claim 8, wherein said laminated film is provided on an outer surface of said display plane.

17. (previously presented) A Braun tube as claimed in claim 10, wherein said laminated film is provided on an outer surface of said display plane.

18. (previously presented) A Braun tube as claimed in claim 11, wherein said film is provided on an outer surface of said display plane.

19. (new) A display apparatus as claimed in claim 4, wherein said laminated film has selective absorption with absorption peaks at approximately 450 nm, 570 nm, and 650 nm.

20. (new) A display apparatus as claimed in claim 8, wherein said laminated film has a flattened reflectance curve, of which all absolute values of differential values in a visible light region of 380 nm - 780 nm are equal to or less than 2.

21. (new) A display apparatus as claimed in claim 8, wherein said laminated film has selective absorption with absorption peaks at approximately 450 nm, 570 nm, and 650 nm.

22. (new) A Braun tube as claimed in claim 10, wherein said flattened reflectance curve of said laminated film has all of said absolute values of differential values in a visible light region of 380 nm - 780 nm equal to or less than 2.

23. (new) A Braun tube as claimed in claim 10, wherein said laminated film has selective absorption with absorption peaks at approximately 450 nm, 570 nm, and 650 nm.

24. (new) A Braun tube as claimed in claim 11, wherein said film has said selective absorption with absorption peaks at approximately 450 nm, 570 nm, and 650 nm.